

Criteria	Description
<i>Daily / 6hr Criteria</i>	- Required Direction: Daily & 6hr MACD sloping in same direction. - Required Support: Diagonal / Symmetrical Trendline, 6hr 9ema / 60min 50ma. - Avoid Traffic: Big Oscillating Consolidations, Resistance Lines < ATR away. - Avoid Strength: 6hr away from 9ema (Hugging OK), Big move Y / YY with ATR > 1.0 - Avoid Reversal: Entering 3rd or 4th candle in a row, Previous Daily Candle cannot > ATR & Wick 30% High, Increasing ATR / Momentum into Support / Resistance, (Increasing ATR post BO or ATR OK), Sloping PM - Avoid Candles: Long Wick Inverse Hammer, Red Big Hammer, Long Wick Greenbelts
<i>60min Criteria</i>	- Confirmation: 20ma or 50ma has reached low of consolidation area. - Required PM: Small Ranges with a PM < 50% ATR (from PDC / PML) - Confirmation Candles (6hr as well): Hammers, Green Belt Hold, Small Candles, Dojis 8am Avoid Candles: Green / Red Full Range Candles, Long Wick 9am Hammer, Long Wicky Candles Avoid PM: DNE if 60min or 15min MACD pattern is not good. (See excel for examples)
<i>Entry</i> <i>Note: Confirmation candles must close prior to entry.</i>	- Required Entry: After break of Horizontal Resistance Line or Breakout of (4) 60min Range. - Rule: Range shall include wicks if last 2 candles have wicks. - Required R:R: Ensure that the (OR + PM Low) is no more than 50% ATR - Time: 9:30-9:34: Strategy: ORB: Entry above VWAP & MAs (Wait if 1st candle is upper wicky or doji) - Do not enter on 3rd consecutive 1min Candle unless 3rd Candle breaking Minor Range. - Time: 9:35-12:00: Strategies: 5min ORB, Bullish Engulfing Cracks, (1min + 5min) ABCDs - Do not enter on 3rd consecutive 5min Green Candle. - Do not enter 1min or 5min ABCD if 5min is extended from 9ma.
<i>Exit</i>	After passing 4R exit trade on first 15min Red Candle closes under 9ema or min 4R.
<i>Special Rules</i> <i>Multi-Day Set-Ups need Daily ATR ↓</i>	Multi-Day Ascending Triangles: 60min or 6hr 9ema must close to cross resistance prior to open. Minimum Build Up: (7) 6hr Consolidation Line. (Only enter with Green hammer). Wait If PM CS big & decreasing. Multi-Day Symmetrical Triangles: Obvious Clear Gap Up at PM (outside of consolidation), 60min 50ma must reach middle resistance prior to open. Minimum Build Up: (7) 6hr Consolidation Line. (Only enter with Green hammer) Multi-Day 60min 50ma Consolidations: 60min 50ma must reach resistance line prior to open. Minimum Build Up: 3 Daily Candles, only enter with Hammer confirmation candle. 9ema Trendline Breakout: Above or Close to PDC w/ Gap +/- 1%, Price Action above 9ma, 15min MACD shape, DNE on 3rd 60min Swing. (Ref to Excel for common MACD trendline BO patterns; ie. 1,2,3) TB LONG 1: 60min MACD cannot touch Signal (DNEO) TB LONG 2: 60min MACD touching Signal & 15min MACD must be above Signal (DNEO) TB LONG 3: 15min MACD must be ready to cross (EO)